


Filter Press Cloths

Sefar has extensive experience in many applications and offers ready-made filter elements adapted to fit customer's requirements, such as cake moisture, particle retention, etc.









DOWNLOADS

Brochure: Process Filtration (PDF 5300 kb)

Product Features

Sefar Filter Solutions for Filter Press Equipment

Sefar is a leader in the design, production and sales of chamber and membrane cloths for filter press machines, also called horizontal, mix pack or vertical plate pressure filters.

With 26 subsidiaries all over the world, Sefar has always focused on providing personal technical support and assistance to each customer and addressing the particular needs of their application.

Experience

Thanks to its strong experience in many applications, Sefar has developed a wide range of products to ensure:

- Chemical, mechanical and abrasive resistance
- Dimensional stability
- Food compliance: FDA, EU 10/2011, EC 1935/2004, EC 2023/2006
- Resistance of the media against clogging, blinding or scaling, coupled with a

high regeneration capacity*

(*capacity of the woven fabric to recover the original permeability after a

washing)

High strength resistance against tearing

Sefar Filtration Solutions (SuZhou) Co.,LTD

2 Jingdong Road,Weiting Town, Suzhou Industrial Park, Jiangsu Province,P.R.China 215121 Phone +86 512 6283 6383 Fax +86 512-62836380

info.cn@sefar.com



Knowledge

For years, Sefar has gained knowledge and skills through many studies done internally in our specialized and well-equipped laboratory to reproduce filtration and the customer's process. This approach has laid the foundation for the creation of media for filter press cloths with consideration for customer's needs.

- Cake moisture (cake dryness, moisture content)
- Cake thickness
- Filtration efficiency (filtrate clarity, solids in filtrate, particle retention, solids in

suspension)

- Cake release (cake discharge)
- Cake washing efficiency

Solutions

Sefar proposes solutions to cope with all customer plate design, with readymade and adapted cloths (single, double or overhang), which match perfectly to the plates and with options such as:

- Metallic or US Eyelets, US eyelets are food grade and resistant to chemical degradation and corrosion.
- Different types of barrels and rubbernecks, from the classic multifilament

fabric to different waterproof options, able to resist all chemical or abrasion

environments.

- Edge sealing done through coating or reinforcement to avoid leakage, with a range of food grade certified coatings.
- Support or backing cloth to increase drainage and lifetime of the filter cloth.

Sefar Filtration Solutions (SuZhou) Co.,LTD

2 Jingdong Road,Weiting Town, Suzhou Industrial Park, Jiangsu Province,P.R.China 215121 Phone +86 512 6283 6383 Fax +86 512-62836380

info.cn@sefar.com



Fabrication solutions

Sefar's filter cloths are adapted to the different needs of the customers, like plate dimension, cake weight, particle retention or productivity. As a result, Sefar has developed a wide range of standard and specific designs, making up options for fixations, barrel and rubber neck, or sealing.

Metallic eyelets

Velcro fastener





Barrel neck



Easy installation available with several options

Edge sealing

Edge reinforcement

Sefar Filtration Solutions (SuZhou) Co.,LTD

2 Jingdong Road,Weiting Town, Suzhou Industrial Park, Jiangsu Province,P.R.China 215121 Phone +86 512 6283 6383 Fax +86 512-62836380

info.cn@sefar.com





 Edge coating for drop-tight operation



- To avoid leaking in
- certain cases

Applications

.....



Food

Sugar, Cacao, Carrageenan (Algae), Bean protein, Beer, Juice, Enzyme, Pectin, Starch and gluten, Wine, Rice bran oil, Palm oil, Colza oil

Sefar Filtration Solutions (SuZhou) Co.,LTD

2 Jingdong Road,Weiting Town, Suzhou Industrial Park, Jiangsu Province,P.R.China 215121 Phone +86 512 6283 6383 Fax +86 512-62836380

info.cn@sefar.com



Environment

Potable Water, Urban Waste Water Treatment, Industrial Waste Water Treatment, Galvanic Treatment, Automotive Cataphoresis, Metallic residue



Chemical

Polymers, Resin and Terpen derivatives, Naphtalenesulfonate, Precipited Silicate, Colours, Pigments, Fertilizers



Mineral

Alumina red mud management, cement, chalk, coal, concentrates & tailings (copper, gold, iron, silver, zinc, etc) gravel, gypsum, kaolin & clay, lithium, rare earths (cobalt, bismuth, uranium, etc.) titanium dioxide and many more

Sefar Filtration Solutions (SuZhou) Co.,LTD

2 Jingdong Road,Weiting Town, Suzhou Industrial Park, Jiangsu Province,P.R.China 215121 Phone +86 512 6283 6383 Fax +86 512-62836380

info.cn@sefar.com



Life science

Sefar production methods and facilities are integrated to include verifiable traceability for life



Our products meet the specific needs of these filtration applications and are successfully running all over the world on all known filter press brands and OEMs, such as:

Sefar Filtration Solutions (SuZhou) Co.,LTD

2 Jingdong Road,Weiting Town, Suzhou Industrial Park, Jiangsu Province,P.R.China 215121 Phone +86 512 6283 6383 Fax +86 512-62836380

info.cn@sefar.com



AES	Andritz	·	Ascension
Avery	(Bilfinger, Diemme)	Boulton	Choquenet
Dafim	Dazhang	Della Toffala	Diefenbach
Dinshaw	Durco	Edward & Jones (E&J)	
EMO	Faure Equipment	Filmac	Filox
FLSmidth	Fraccaroli e Balzan	Galigani	Häcker
	Hakü	Hangzhou Xingyuan	
Ishigaki	-	JKF Kübler	Johnson Progress
Körte		Larox	Lasta

Sefar Filtration Solutions (SuZhou) Co.,LTD

2 Jingdong Road,Weiting Town, Suzhou Industrial Park, Jiangsu Province,P.R.China 215121 Phone +86 512 6283 6383 Fax +86 512-62836380

info.cn@sefar.com



Latham	Lisse	Matec	McLanahan
Metchem	Metso: Outotec	Meura	Micronics
MS	MSE	Netzsch	Nordon
	Paetzold		Parkson
Passavant	PMI	Putsch	Ritterhaus & Blecher
Schenk		Seitz Orion	Spadoni
Tecnicas Hidraulicas	Tecnoidea	Tecofil	Tefsa
		Velo	Vicentini
Von Roll	Welders (WFT)	Zhejiang Goldenbird	Zhongda Bright

Filter media technology

A complete range of fabrics, including monofilament (SEFAR TETEX MONO),

Sefar Filtration Solutions (SuZhou) Co.,LTD

2 Jingdong Road,Weiting Town, Suzhou Industrial Park, Jiangsu Province,P.R.China 215121 Phone +86 512 6283 6383 Fax +86 512-62836380

info.cn@sefar.com




multifilament (SEFAR TETEX MULTI), mixed mono-multifilament, mixed multifilamentstaple fibres, and other innovative products, are especially dedicated to filter press machines. Our range is able to cover all chemical requirements, with polymers such as Polypropylene (PP), Polyamide (PA, Nylon, Rilsan, PA6-6, PA 6, PA 6-10, PA11, PA12), Polyester (PET) or PBT, and particle retention with optimum flow rate, moisture content, and cake washing properties. For this line, all the media are:

- calendered to provide the smooth surface needed for a good cake release
- properly thermo-fixed to ensure the dimensional stability


During this stage, the air permeability is monitored continuously to warrant uniformity and reliability and the pore size distribution of our line.

Monofilament Fabric

Multifilament Fabric



For good filtration
performance and a
better cake discharge



For maximum particle retention and good mechanical

resistance

CONTACT

Sefar Filtration Solutions (SuZhou) Co.,LTD

2 Jingdong Road,Weiting Town, Suzhou Industrial Park, Jiangsu Province,P.R.China 215121 Phone +86 512 6283 6383 Fax +86 512-62836380

info.cn@sefar.com



- Local contact
- Contact form
- Send mail

Please call us for further information: Phone CH: +41 71 898 5700

Locations





Sefar Filtration Solutions (SuZhou) Co.,LTD

2 Jingdong Road, Weiting Town, Suzhou Industrial Park, Jiangsu Province, P.R.China 215121 Phone: +86 512 6283 6383 Fax: +86 512-62836380

E-Mail

Sefar Trading (Shenzhen) Co. Ltd.

Room 3607, 36/F, Golden Central Tower, No. 3037, Jintian Road, Futian District, Shenzen, China 518048 Phone: +86 755 2382 0322 Fax: +86 755 2382 5090

E-Mail

Sefar Filtration Solutions (SuZhou) Co.,LTD

2 Jingdong Road,Weiting Town, Suzhou Industrial Park, Jiangsu Province,P.R.China 215121 Phone +86 512 6283 6383 Fax +86 512-62836380

info.cn@sefar.com