

# Centrifugal, Vibro- & Turbo-Sifter

Under the brand-names SEFAR NYTAL we offer a comprehensive range of fabric cylinders for centrifugal sifters (turbo and vibro). Our polyamide fabrics are also available as ready-made cylinders.



## Product Features

### Product features

With around 190 years experience in the manufacture of precision fabrics, Sefar offers market-leading fabric technology in the milling industry – from yarn to fabric, precisely tuned for each type of centrifugal sifter. The range includes PET and PA fabrics for efficient screening in all stages of your process. All fabrics conform to current FDA and EU regulations.


## Fabrication solutions

### Cylinder

The ready-made sieve covers (cylinders) are not stitched at the seams, but welded. There are, depending on the nature of the fabric, either the reinforced stitching (AR – armed) for fine fabrics or high-frequency (HF) stitching for coarse fabrics.



HF seam



AR seam

■ The seam is welded  
and not stitched

## DOWNLOADS

Brochure: Milling (PDF 6347 kb)

Brochure: Process Filtration (PDF 5300 kb)

## Sefar Filtration Solutions (SuZhou) Co.,LTD

2 Jingdong Road, Weiting Town,  
Suzhou Industrial Park,  
Jiangsu Province, P.R. China 215121

Phone +86 512 6283 6383  
Fax +86 512-62836380

[info.cn@sefar.com](mailto:info.cn@sefar.com)

[Go to product page](#)

## Filter media technology

### SEFAR NYTAL PA-HD

- Good performance
- Long service life
- Wide product range
- Extra-strong fabric
- Fitted with AR- or HF-welded seam
- Good dimensional stability

## Sefar filter solutions for OEM

Our products meet the specific needs of these filtration applications and are successfully running all over the world on all known centrifugal, vibro- & turbo-sifter brands and OEMs, such as:

Alapala      Bühler      Golfetto      Mill Service

Ocrim      Omas      Sangati Berga      Ugur

## Food compatibility

The fabrics of the SEFAR NYTAL PA and PET range are made from yarns that contain only substances

### Sefar Filtration Solutions (SuZhou) Co.,LTD

2 Jingdong Road, Weiting Town,  
Suzhou Industrial Park,  
Jiangsu Province, P.R.China 215121

Phone +86 512 6283 6383  
Fax +86 512-62836380

[info.cn@sefar.com](mailto:info.cn@sefar.com)

[Go to product page](#)



recognized as safe for use with foodstuffs.

## Relevant guidelines and regulations:

- FDA Code of Federal Regulations (USA), Food and Drugs, Art. 21, Section 177.1500  
for PA, 177.1630 for PET (indirect foodstuff additional material: polymers)
- Regulation (EU) No 1935/2004 of the Commission dated 27 Oct. 2004 on materials  
and articles made of plastic and are intended to come into contact with foodstuffs
- Regulation (EU) No 10/2011 of the Commission dated 14 Jan. 2011 on materials  
and articles made of plastic that are intended to come into contact with foodstuffs

Our subsidiaries and selected representatives around the world are pleased to advise all customers individually.



## CONTACT

- Local contact
- Contact form
- Send mail

Please call us for further information:

## Sefar Filtration Solutions (SuZhou) Co.,LTD

2 Jingdong Road, Weiting Town,  
Suzhou Industrial Park,  
Jiangsu Province, P.R.China 215121

Phone +86 512 6283 6383  
Fax +86 512-62836380

[info.cn@sefar.com](mailto:info.cn@sefar.com)

[Go to product page](#)

Phone CH: +41 71 898 5700

## Locations



### **Sefar Filtration Solutions (SuZhou) Co.,LTD**

2 Jingdong Road, Weiting Town,  
Suzhou Industrial Park,  
Jiangsu Province, P.R. China  
215121  
Phone: +86 512 6283 6383  
Fax: +86 512-62836380

■ **E-Mail**



### **Sefar Trading (Shenzhen) Co. Ltd.**

Room 3607, 36/F,  
Golden Central Tower,  
No. 3037, Jintian Road,  
Futian District,  
Shenzhen, China 518048  
Phone: +86 755 2382 0322  
Fax: +86 755 2382 5090

■ **E-Mail**

### **Sefar Filtration Solutions (SuZhou) Co.,LTD**

2 Jingdong Road, Weiting Town,  
Suzhou Industrial Park,  
Jiangsu Province, P.R. China 215121

Phone +86 512 6283 6383  
Fax +86 512-62836380

[info.cn@sefar.com](mailto:info.cn@sefar.com)

[Go to product page](#)