


集尘袋滤机

褶皱式滤芯作为钛白粉气粉塔中使用的末端微粉滤袋使用。产品可用于所有高温过滤应用 ($\leq 260\text{ }^{\circ}\text{C} / 500\text{ }^{\circ}\text{F}$) 。



产品特征


制造方案

X-600是一个独特的专利褶皱式滤芯，用于诸如钛白粉气碎成品的过滤回收等的应用中。

该产品性能超越了市场中任何普通滤袋并可以将使用寿命提升超过100%。卓有成效还可体现在54个月的长使用寿命上，是世界上所有气碎微粉滤袋的最长使用寿命。这项成功主要得益于一个使用Sefar专利氧化铝灌封系统来密封端盖的重型组件。相比传统滤袋，X-600有更大的表面积（褶皱），可以显著提高产能和使用寿命。

褶皱式滤芯 X-600

加工定制



■ 气流量增加，效率优

■ 按客户要求定制

异


网布技术

新的褶皱式滤芯可耐高温，并且相比同一直径的其他滤袋，有着将近三倍的表面积。除了提供更高气流量和优异效率外，褶皱式滤芯还可以在不对现有设备更改的情况下直接更换现有滤袋。

X-600 高温褶皱式滤芯

DOWNLOADS

手册: SEFAR X-600 (PDF 286 kb)



- 1 100%金属顶盖和端盖
- 2 超高耐磨性的铝密封
- 3 密封缝合
- 4 镀锌钢芯
- 5 e-PTFE滤膜
- 6 玻璃纤维毛毡，带A类
酚醛树脂
- 7 重型不锈钢带



联系我

- 当地联系人
- 联系表单
- 发送电子邮件

请致电我们以获取更多信息：
电话 CH: +41 71 898 5700

Locations

Sefar Filtration Solutions (SuZhou) Co.,LTD

2 Jingdong Road, Weiting Town,
Suzhou Industrial Park,
Jiangsu Province, P.R.China 215121

电话 +86 512 6283 6383
传真 +86 512-62836380

info.cn@sefar.com

转至产品页



Sefar Filtration Solutions (SuZhou)

2 Jingdong Road, Weiting Town,
Suzhou Industrial Park,
Jiangsu Province, P.R. China
215121

Phone: +86 512 6283 6383

Fax: +86 512-62836380

 E-Mail



Sefar Trading (Shenzhen) Co. Ltd.

Room 3607, 36/F,
Golden Central Tower,
No. 3037, Jintian Road,
Futian District,
Shenzhen, China 518048

Phone: +86 755 2382 0322

Fax: +86 755 2382 5090

 E-Mail